


Turmdrehkran 32 H


Tower Crane / Grue à tour / Gru a torre
Grúa torre / Guindaste de torre



DIN/FEM


1 : 195

LIEBHERR



Gewicht

Weight / Poids / Peso / Peso / Pesos



r = 2,15 m



1 x 4800 kg
7 x 2000 kg

1 x 6800 kg
6 x 2000 kg

18800 kg



1 x 4800 kg
8 x 2000 kg

1 x 6800 kg
7 x 2000 kg

20800 kg



10500 kg

Ausladung und Tragfähigkeit

Radius and capacity / Portée et charge / Sbraccio e portata / Alcances y cargas / Alcance e capacidade de carga

m	m/kg	m/kg																		
		12,0	13,0	14,0	15,0	16,0	17,0	18,0	19,0	20,0	21,0	22,0	23,0	24,0	25,0	26,0	27,0	28,0	29,0	30,0
30,0	2,8 - 15,2 2500	2500	2500	2500	2500	2350	2180	2040	1910	1800	1700	1600	1520	1440	1370	1310	1250	1200	1150	1100
28,0	2,8 - 15,7 2500	2500	2500	2500	2500	2450	2270	2120	1990	1870	1770	1670	1580	1500	1430	1370	1310	1250		
14,8	2,8 - 14,8 2500	2500	2500	2500	2500															

m	m/kg	m/kg																		
		10,0	11,0	12,0	13,0	14,0	15,0	16,0	17,0	18,0	19,0	20,0	21,0	22,0	23,0	24,0	25,0	26,0	27,0	28,0
30,0	2,8 - 17,2 2000	2000	2000	2000	2000	2000	2000	2000	2000	1890	1770	1660	1560	1480	1400	1320	1260	1200	1140	1090
28,0	2,8 - 17,9 2000	2000	2000	2000	2000	2000	2000	2000	2000	1990	1860	1750	1640	1550	1470	1390	1330	1260	1200	1150
14,8	2,8 - 14,8 2000	2000	2000	2000	2000	2000	2000													

m	m/kg	m/kg																		
		10,0	11,0	12,0	13,0	14,0	15,0	16,0	17,0	18,0	19,0	20,0	21,0	22,0	23,0	24,0	25,0	26,0	27,0	28,0
30,0	2,8 - 9,9 4000	3970	3500	3140	2840	2580	2370	2190	2030	1890	1770	1660	1560	1480	1400	1320	1260	1200	1140	1090
28,0	2,8 - 10,3 4000	4000	3680	3290	2980	2710	2490	2300	2130	1990	1860	1750	1640	1550	1470	1390	1330	1260	1200	1150
14,8	2,8 - 12,4 4000	4000	4000	4000	3750	3430	3200													

Auslegersteilstellung 20°


Elevated jib 20°

Flèche inclinée 20°

Braccio inclinato a 20°

Pluma inclinada 20°

Lança inclinada 20°



Antriebe


Driving units / Mécanismes d'entraînement / Azionamenti / Mecanismos / Mecanismos

	U/min 0 ↔ 0,8 sl./min tr./min	2,2 kW EDC
	18,0 / 36,0 m/min	1,1 / 1,8 kW 1,9 / 2,8 kW
	ca. 160°/min.	4,0 kW

BGL		C.0.05.0031
-----	--	-------------


	400 V	Hz	kVA
57,0 m	4 x 6 mm² KL	50	19,0 KL
87,0 m	4 x 6 mm² FU		17,0 FU

	Stufe / Step / Cran Marcia / Velocidad Velocidade	kg	m/min
11,0 kW KL	1	2500	5,0
	2	2500	20,0
	3	1300	40,0
	1	2000 4000	5,0 2,5
	2	2000 4000	20,0 10,0
	3	1300 2600	40,0 20,0
11,0 kW FU	1	2500	4,0
	2	2500	20,0
	3	1300	38,0
	4	1000	50,0
	1	2000 4000	4,0 2,0
	2	2000 4000	20,0 10,0
	3	1300 2600	38,0 19,0
	4	1000 2000	50,0 25,0



Kolli-Liste

Packing List / Liste de colisage / Lista dei colli / Lista de contenido / Lista de embalagem

Pos.	Anz.				L (m)	B (m)	H (m)	kg
Item	Qty.							
Rep.	Qte.							
Voce	Qta.							
Pos.	Cant.							
Ref.	Cant.							
		Transportachse vorne, H-Adapter	Tra 100 KY 2		4,30	1,25	1,31	750
		Road transport axle front, H adapter	Tra 100 KY 6					
		Essieux de transport avant, pièce d'adapt. H	Tra 100 KY 6 A			4,30	1,25	1,31
		Assale anteriore, adattatore per H						
		Eje de transporte delantero, adaptador H						
		Eixo de transporte dianteiro, adaptador H						
1	1							
		Transportachse hinten, H-Adapter	Tra 120 GY 1		1,60	2,50	1,20	1000
		Road transport axle behind, H adapter	und/and/et					
		Essieux de transport arrière, pièce d'adapt. H	e/y/y GY 1 A					
		Assale posteriore, adattatore per H						
		Eje de transporte trasero, adaptador H						
		Eixo de transporte traseiro, adaptador H						
3	1							
		Transportachse vorne m. Zwischenadapter	Tra 100 KY 2		4,30	1,25	1,31	950
		Road transport axle front w. adapter	Tra 100 KY 6					
		Essieux de transport avant a. pièce d'adapt.	Tra 100 KY 6 A			4,30	1,25	1,31
		Assale anteriore con adattatore intermedio						
		Eje de transporte delantero con adaptador intermedio						
		Eixo de transporte dianteiro com adaptador intermédio						
4	1							
		Transportachse hinten m. Zwischenadapter	Tra 120 GY 1		1,75	2,50	1,25	1200
		Road transport axle behind w. adapter	und/and/et					
		Essieux de transport arrière a. pièce d'adapt.	e/y/y GY 1 A					
		Assale posteriore con adattatore intermedio						
		Eje de transporte trasero con adaptador intermedio						
		Eixo de transporte traseiro com adaptador intermédio						

Konstruktionsänderungen vorbehalten!

Subject to alterations! / Sous réserves de modifications!
Si fa riserva di modifiche! / Salvo modificação da construo!
¡Sujeto a modificaciones!

Sämtliche Angaben erfolgen ohne Gewähr. / This information is supplied without liability.

Ces renseignements sont sans garantie. / Le indicazioni contenute si intendono salvo errori ed omissioni.
Declinamos toda responsabilidad derivada de la información proporcionada.
Declinamos qualquer responsabilidade quanto à informação fornecida.